

SensorProx Ver2 Readers

The SensorProx Ver2 range of readers are practical and easy to install. All the readers are epoxy filled and weatherproof therefore suitable for indoor and outdoor applications.

Key Features

- Metal back plate for easy installation
- Non-drop bottom screw
- Backlit reader and keypad
- Compatible with SensorProx range
- Touch sensitive number pad with LED feedback
- Red, Green & Blue LED feedback

LED FEEDBACK

The Logo and keypad (SP-KPV only) is backlit blue for easy identification. The back light changes Green for access granted or Red for access denied. This makes the readers very user friendly.

MODERN DESIGN

New smooth sleek black design makes this reader ideal for installs where aesthetics are a priority.

SINGLE GANG

The SP-KPV and SP-SG are designed for US single gang mounting and also UK single gang mounting.

METAL BACKPLATE

Metal back plate allows the reader to be on metal surface without affecting the read range.

INTERACTIVE KEYPAD

Keypad is constant backlit blue. When key is pressed the key illuminates bright blue indicating confirmation of key press.



SensorProx Ver2 Readers

Technical Specification

LED Backlit	Blue, Red, Green
Weatherproof	Fully potted
Read Range	50mm
Case Material	PC & ABS

Physical

SF-MINI	85 (H) x 55 (W) x 17 (D) mm 80g
SF-SG	116 (H) x 85 (W) x 21 (D) mm 214g
SF-KPV	116 (H) x 85 (W) x 21 (D) mm 214g

Environmental

Operating Temperatures	-30°C to +70°C
------------------------	----------------

Electrical

Operating Voltage	10 - 15 VDC
Operating Current	150mA (max)

Part Numbers

SP-MINI2	SensorProx Mini Ver2 Proximity Reader.
SP-SG2	SensorProx Single Gang Ver2 Proximity Reader.
SP-KPV2	SensorProx Keypad Ver2 Proximity Reader.

Options

SP-SHELL/SP-ISO	SensorProx Proximity Shell Cards SensorProx ISO Printable Proximity Cards.
-----------------	---



SP-KEY-B/G/R	SensorProx Proximity Keytag with hole for key chain. Red, Blue or Green
--------------	---



SP-DSK-RD	SensorProx format Desktop reader connected to PC via USB
-----------	--



Contact us Today

Sensor Access Technology Ltd



+ 44 (0)1273 242355



sales@sensoraccess.co.uk