



Access Control Solutions

sensoraccess.co.uk

Contents

Contents	02
Approved Partner Programme	02
Introduction	03
Contact	03

Software

GuardPoint Pro Overview	04
Guardpoint Pro Comparison	05
GuardPoint Pro Software	06
Alarm control and graphics / Parking / Visitor / Web interface / Multi site / Multi company / Lift control / Graphics + / Time and attendance +	
GuardPoint Pro Integrations	15
Galaxy integration / CCTV integration	
Biometric integration / Video +	

Intelligent Door Controllers

IC500/IC1000+ Controllers	20
Entry level controllers	
IC2001/IC4001 Controllers	22
Advanced controllers	
Extension Boards	23
Input and output expansion options	
IC PRO Controller	26
High capacity controller	
IC1604 Alarm Controller	26
Input and output controller	
Advanced Controller Features	27
Secondary communication bus	
Controller Comparison	28
Compare our range of controllers	

Reading Technologies

SF Smart Card Readers	29
Sensor Access secure format readers	
Biometric Readers	31
Sensor's integrated bio range	

Case Studies

Healthcare / Education /	
Sports and leisure / Corporate	

Product List	36
Customer Support	39
Stock / Warranty	39



Approved Partner Program

Our security integrator partners are the face of Sensor Access and are relied upon in over 30 countries to provide professional, responsive and superior skills excellence in the consultation, design, sale, installation and maintenance of our diverse product portfolio.

Sensor Access select only the most proficient, qualified and enthusiastic security integrators to partner with. We believe that the users of our systems deserve the best possible experience and service from their integrators and we provide the tools, education and support to ensure these standards are maintained.

To become an approved partner we require that training in both technical and commercial areas are completed and an agreement established for future partnership.

Introduction

Sensor Access was established in 1999 and has experienced dramatic growth over the last decade. Our head office is based in the United Kingdom however we are globally minded and aim to provide value, performance and excellent customer service worldwide. As an independent company we are able to offer excellent pre-sales and after-sales service and have a wealth of experience within the industry.

We manufacture a wide range of products which are currently being used in the UK, Middle East, Europe and Asia. We have teamed up with market leading technology providers to offer a complete access control solution using our flagship software GuardPoint Pro.

"Sensor Access Technology was born from my vision of a professional, friendly and knowledgeable organisation that had all the expertise in providing the best solutions in the world of access control.

Strong business ethics, loyalty, long term partnerships are some of the key elements of how we make a difference in the market.

We are continuously investing in future technologies to ensure that we offer smart solutions in access control and beyond."



Ahmed Abbas

Managing Director



Sensor Access United Kingdom

Sensor House, 10-11 Lewes Road, Brighton
East Sussex, BN2 3HP, UK

Email: uksales@sensoraccess.co.uk

Sensor Access Europe

Rotterdam, Netherlands

Email: europesales@sensoraccess.co.uk

Sensor Access Saudi Arabia


Riyadh, Saudi Arabia

Email: saudisales@sensoraccess.co.uk

Sensor Access Middle East

Dubai, UAE

Email: uaesales@sensoraccess.co.uk



02/03

Guardpoint Pro

Software Overview

Overview

GuardPoint Pro is Sensor Access's powerful yet user friendly, online access control and alarm monitoring software. Packed with sophisticated features it fits perfectly within the strict requirements of high security sites. The GuardPoint Pro Solution is suitable for a variety of different sized installations. The GuardPoint Pro software can accommodate hundreds of thousands of cardholders. For smaller installations GuardPoint Pro Lite is available. This limited version of GuardPoint Pro combines cost effectiveness, ease of use and high performance.



Key Features

- Large system capabilities
- User friendly software
- Extensive integration gateways
- Multiple workstations
- Extensive reporting feature
- Badge design and printing
- Parking management feature
- Guard patrol module
- Lift control
- Multi site option
- Multi company
- Excel or SQL database
- Time and attendance
- Alarm monitoring
- Graphical maps with icons
- Smart CCTV integration

Guardpoint Pro

Software Comparison Table

Features	GuardPoint Light	GuardPoint Pro
Doors/Readers	16	Unlimited
Workstations	1	Unlimited
Alarm Control & Graphics	✓	✓
Badge Production	✓	✓
Parking Control	x	✓
Lift Control	x	✓
GuardTour	x	✓
Multi Company	x	✓
CCTV Integration	x	✓
Video+	x	✓
OPC Server Integration	x	✓
SQL Database	x	✓
Basic T & A	✓	✓
T & A +	x	✓
MultiSite	x	✓
Graphics+	x	✓
Web Interface	x	✓
Escorting	x	✓
Scan & Attach Documents	x	✓
Customise fields	x	✓
Email Alerts	x	✓
Biometric Integration	✓	✓
Live Camera Pop Up	x	✓
Automatic Back up	x	✓
Fire Roll Call	x	✓
Integrate with Alarm System	x	✓
Crisis Management	x	✓
Scheduled Access Group	x	✓
Counter Feature	x	✓
Automatic Reporting	x	✓
Automatic Card Invalidation	x	✓

Part Numbers

GPP/Lite

Up to 2,000 users, 8 controllers and 16 readers

GPP/16

Up to 2,000 users, up to 16 readers

GPP/16/ACM

Up to 2,000 users, up to 16 readers. Complete with alarm control and graphics module

GPP/64

Up to 5,000 users, up to 64 readers

GPP/128

Up to 10,000 users, up to 128 readers

GPP/256

Up to 40,000 users, up to 256 readers

GPP-BDG

ID Badge Production Module

GPP-WS

Additional Workstation Licence

GPP-ACM

Alarm Control and Graphics Module

GPP-PCM

Parking Control Module

GPP-LCM

Lift Control Module

GPP-GT

Guard Tour Module

GPP-MC

Multi Company Module

GPP-CCTV

CCTV Integration Module for DVR's

GPP-Video+

Video Management platform

GPP-OPC

OPC Server Interface

GPP-SQL

SQL Database for GuardPoint Pro

GPP-T-PLUS

Time & Attendance module

GPP-WEB

Web Workstation module - 3 users

GPP-G-PLUS

Graphics plus module

GPP-MS

Multi-Site Module

04/05

Guardpoint Pro

Alarm Control and Graphics



Overview

The GuardPoint Pro alarm control and graphics module allows the linking of transaction events to a wide variety of actions within GuardPoint Pro and if required through a graphical interface.

- Customisable alarm acknowledgement instructions and alarm priority levels.
- Execution of crisis levels allowing the system to perform different type of lock down on alarm activation.
- Email alerts upon events .
- Live camera and cardholder photo pop up for visual verification.
- Automatic system back up.
- Automated report generation including fire roll call.
- As well as many more....

Key Features

- Allows for easy personalisation of the system
- A quick method of setting up cause & effect on GuardPoint Pro

For example: Door forced open alarm can lock down other high security doors



Part Numbers

GPP-ACM

Alarm control and graphics module

GUARDPOINT PRO

Guardpoint Pro

Parking Control Management

Key Features

- Allocate parking spaces per group
- Ideal for multi tenanted buildings
- Management of multiple parking lots



Overview

Guardpoint Pro offers a simple yet smart integrated parking control module to allow simple capacity control for multiple parking areas and companies.

This module allows you to set up parking zones of which you can allocate a number spaces to different groups of cardholders. The parking module ensures important members of staff or visitors can always have somewhere to park.

When the car park is full or a group has used all their designated parking spaces, actions can be performed for example a message on a display panel or denying access altogether.

The Car parking module is ideal when used with our long range reading solutions that would allow the barrier to open while the car approaches. See page Pg. 30 for more information.



Part Numbers

GPP-PCM

Parking management module for Guardpoint Pro

06/07

Guardpoint Pro

Visitor Management



Overview

With a unique and simple user friendly separate visitor database, GuardPoint Pro is perfectly suited to manage your visitors. The option to limit users to only be able to modify and see just the visitor side of GuardPoint Pro is ideal for your receptionist to log in visitors. The visitor module also means reports can be produced showing who has visited the site, to see whom and for how long.

It allows:

- Capture of images
- Set access rights
- Allocate a person to visit
- Attach ID scans to the visitor record within GuardPoint Pro
- Print Photo ID Card (GPP - BDG option required)

Key Features

- Integrated visitor management—no need for a separate system
- Limit users to only seeing and editing just visitors



Part Numbers

GuardPoint Pro Visitor Management

As standard in GuardPoint Pro Lite, GuardPoint Pro 16 (and above)

GUARDPOINT PRO

Guardpoint Pro

Web Interface


Key Features

- View a real time log
- Create / modify / delete essential cardholder information
- Execute actions and processes
- Activate relays (e.g. In order to open doors in real time)
- Issue basic and statistical reports

Overview

This dedicated web interface allows you to connect and control GuardPoint Pro from any machine connected to a computer network via web browser. This is Ideal for a facility manager to make quick and simple operations from anywhere.

The GuardPoint Pro web interface can be easily deployed across different computer platforms. The Web interface is hosted by yourself on your own web host giving you complete control of secure cardholder data.



Part Numbers

GPP-WEB

GuardPoint Pro Web Interface
Module for Remote access

08/09

+44 (0)1273 242 355 | sensoraccess.co.uk

Guardpoint Pro

Multi Site

Key Features

- Management of multiple facilities
- Independent control at branch level
- Centralised database at main location

Overview

The multisite module is ideal for applications where access at many sites need to be managed centrally. For example this module is highly useful for organisations with several independent branches that wish to let local branches view and control only their own sites, while still retaining the ability for overall management to be done from the site headquarters. The Multi Site module allows all the records in the database (controllers, readers, cardholders, etc.) To be divided into the different sites. Each user of GuardPoint Pro can be authorised to view/modify one or more sites.

The multisite module is designed to be used with the Microsoft SQL platform which adds many benefits to system redundancy. The Different type of system architecture are as follows.

Figure 1 (p.10) - Multi-Site/Multi-polling: This offers the ability to split the communication load between servers so that each local site has its own independent server. Both sites are fully redundant and can work independently in the even of network failure.

Figure 2 (p.10) - This offers the same functionality as Fig 1 but with a single database. The workstations on site B require network connectivity to work.


Figure 3 (p.11) - The single server option, this relies on a good network infrastructure. The controllers on Site B would need to be connected via a TCP/IP connection.



Part Numbers

GPP-MS

GuardPoint Pro Multi Site Module for sites with multiple locations



Guardpoint Pro

Multi Company

Overview

The Multi-Company option is very similar to multisite but without the centralised management and SQL data base. Multi-Company provides a cost effective multi tenanted system for smaller less complex environments.

In the Multi-company system operators only have access to and can modify data for their own parts of the building as well as separate user workstations and reporting facilities for each company.

A single server controls the whole system and reporting can also be produced for the complete system. This software module is ideal for multi tenanted buildings.




Part Numbers

GPP-MC

GuardPoint Pro Multi Company Module for Multi tenanted buildings

Key Features

- Ideal for multi tenanted buildings
- Use of a common system within a facility
- Independent secure management of access control per tenant



(see p.10 for description)

10/11

Guardpoint Pro

Lift Control



Overview

For monitoring employees movements within multi storey buildings. The lift control module allows control of a users movements within the lifts. Each floor selection button within the lift is wired to a relay on the controller. When a user presents their card to the reader, the controller will make the decision of which floors they have access to.

With the ability to control up to 64 floors per controller this feature is suitable for the most challenging of environments.

Key Features

- Limit entrance to only authorised floors
- Control up to 64 floors per controller
- Ideal for multi tenanted buildings



Part Numbers

GPP-LCM

GuardPoint Lift Control Module for control of lift cabs

GUARDPOINT PRO

Guardpoint Pro

Graphics +

Overview

The graphics+ module allows graphical representation of doors, alarm inputs, relay outputs and on site maps. This can be a single map representing the whole site or a different map for each floor. It is also possible to assign these maps to an unlimited number of user defined actions/processes, cameras and even symbols representing other maps (used as short-cuts between one map and another). Basic libraries of graphical symbols are provided with the module but other symbols may be created or imported by the user.

- The doors are represented in a dynamic way by a different symbol following the door status (open, closed, door forced, door remained open too long).
- The alarms are updated with the corresponding symbol (new alarm, acknowledged).
- Users may select what should happen upon double-clicking each symbol: Either triggering one of the predefined Actions/processes, or viewing a live video stream from a specific camera, or switching to another map.
- Zoom in / zoom out.
- Skipping between the maps by simply clicking the next map icon within the current map.
- Alarm symbols are animated according to their alarm status.
- Simple user interface with icons.



Part Numbers

GPP-G-PLUS

GuardPoint Pro Graphics Plus Module for advance graphical interface


Guardpoint Pro

Time and Attendance +

Overview

The Time & Attendance Plus module offers a simple yet feature rich, cost effective time and attendance option.

- Calculate total hours worked according to readers selected.
- Definition of personal contracts, i.e. shift patterns, overtime and short time.
- Fixed or flexible working hours.
- Calculate time accumulated on a specific job (i.e. training, project-related) or location (meeting room or library).
- Export the report as an external file in different formats.
- Ideal for companies that require some Time and Attendance information without the cost of a dedicated T & A system.



Part Numbers

GPP-T-PLUS

GuardPoint Pro Time and Attendance Plus Module

Guardpoint Pro Integration

Galaxy Alarm


Overview

Within GuardPoint Pro using the Galaxy module allows one simple user friendly interface for controlling both access control and intruder alarm. This allows you to receive all alarm events from the Galaxy panel into GuardPoint Pro and link alarm events to other actions e.g. set a camera to pop up upon alarm.

The Galaxy alarm inputs can also be represented on the GuardPoint Pro graphical maps which gives a visual map of where the inputs are and will also allow you to see what alarms have been triggered within the map for a simple user friendly software interface.

Key Features

- Offers one single user interface
- User friendly management of the total security package
- Cost effective integration



GUARDPOINT PRO



Part Numbers

GPP-GAL

GuardPoint Pro Galaxy intruder Alarm Integration Module

14/15

+44 (0)1273 242 355 | sensoraccess.co.uk

Guardpoint Pro Integration

CCTV



Overview

GuardPoint Pro offers integration with several leading CCTV brands. The integration offers a simple front end for both systems allowing for the following actions to be controlled within GuardPoint Pro:

Live view of the camera

- Select presets
- Zoom in / out
- Focus near / far
- PTZ (pan, tilt, zoom)

Playback Camera Mode

- Allow fast forward / rewind of a video sequence
- Pause and play
- Jump to a certain time / date
- Change camera
- Change playback speed

Key Features

- Single user interface
- Idea for sites where the user wants just one front end
- Cost effective Security Management
- Simple for operation of site security
- Quick identification of threats

The simple integration offers event driven live pop up and recording providing a fast link between events and CCTV monitoring. For example a door forced open can be set to trigger a live pop up view of the door at that moment. If this is missed at that point there will be a book mark in the access control that upon 1 click will replay the recording.

HIKVISION

AVIGILON

DVTEL
THE BEST EVIDENCE™



Part Numbers

GPP-CCTV

GuardPoint Pro CCTV Integration Module for DVR Integration

GUARDPOINT PRO

Guardpoint Integration

Video +


Overview

With a smooth user friendly interface for security monitoring in one platform, Video+ offers the perfect solution.

The Video + module runs on a separate screen to GuardPoint pro, making this module ideal for security room applications where monitoring is key.

Two views are available with Video+ module, the first is alarms and the second access events. Both of these link to the live and recorded footage of IP cameras on site.

- Full PTZ, presets and zoom control
- Retrieve recorded footage
- Link camera footage to an event
- Take snapshots from camera
- Open camera screen from map screen
- Link alarm events with videos
- Link access events with videos
- Playback of camera footage
- Click and drag events into the CCTV matrix



Typical Applications

- Simplify monitoring of two separate systems
- More efficient tracking of key events
- Cost saving on stream lining security systems



Part Numbers

GPP-V-PLUS

Guardpoint Pro Video Plus Module

HIKVISION



16/17

+44 (0)1273 242 355 | sensoraccess.co.uk

Guardpoint Pro Integration

Biometric Integration

Overview

Offering a simple integrated solution Sensor's Bio readers benefit from a fully integrated biometric solution. From the GuardPoint Pro card holder screen users can enrol their fingerprints and all future management of finger prints are all carried out from GuardPoint Pro rather than a separate application. Simple and user friendly solution utilising an award winning algorithm makes this a perfect solution.



Key Features

- Fully integrated solution, only one software needed
- Ideal for high security applications where biometrics are required



Part Numbers

GuardPoint Pro Biometric Integration

As standard in GuardPoint Pro Lite, GuardPoint Pro 16 (and above)

Door Controllers

General Controller Overview

Overview


Complementing our versatile and powerful GuardPoint Pro software, we offer a comprehensive range of intelligent controllers. Our IC Controllers are flexible and scalable ensuring they meet your project needs. Individual controllers can manage 1, 2 or 4 doors and capacities start from 5,000 and can reach over 250,000 cardholders. They are also future proof enabling extra doors/sites and site expansions. Distributed intelligence architecture means simple system design, full resilience and no downgrade in decision making at controller level. PoE, TCP/IP and standard RS485 can be supported. Our controllers come complete with power supplies and enclosures.

Intelligent Door Controllers

IC500 / IC1000


Overview

The IC500 and IC1000 controllers offer entry level access control for small and medium installations. The cost effective security solution for doors benefits from the powerful features of the GuardPoint Pro software.



IC500 (Above)
2 Reader Controller for 1 Door

IC1000 (Below)
2 Reader Controller for 2 Doors



Cardholders

IC500: Up to 8,700
IC1000: Up to 8,700



Events

IC500: Up to 10,000*
IC1000: Up to 8,700*



Doors

IC500: 1x Door
IC1000: 2x Door



Readers

IC500: 2x Readers
IC1000: 2x Readers



Inputs

IC500: 4x Inputs
IC1000: 4x Inputs



On Board TCP IP

IC500: Optional
IC1000: Optional



Outputs

IC500: 3x Outputs
IC1000: 3x Outputs



Comms Bus

IC500: 1
IC1000: 1

* Expandable dependant on cardholders

Key Features

- 1 door 2 reader / 2 door 2 reader networkable controller
- 5,000 cardholders standard—upgradable to 8,700
- Optional built in TCP/IP interface
- Compatible with all IC controllers
- 4 inputs, 3 outputs on board
- Compatible with Sensor SF or 3rd party readers
- FLASH upgradable memory
- LED diagnostics

Intelligent Door Controllers


IC500 / IC1000

Product Highlights

Communication is ensured and simple via the RS485 communication bus or via the built in TCP/IP interface (IC500IP and IC1000IP only)

Elaborate capabilities including daily and weekly programs, holidays, security levels, escorting and anti-passback. Alarm management functions allow supervision of local and global reflexes, unsuccessful attempts, door alarm, duress alarm and monitor cable.

Simple installation means the system can be installed in a matter of minutes. With full wiring diagrams supplied on the board programming is simple. Flash memory allows easy firmware upgrades. The use of removable connectors will greatly ease system installation along with diagnostic LED's. With independent decision making at the local level without any computer intervention. Even if communication is lost the controller will still function.



Typical Applications

- Small to Medium Access Control Solutions
- Education Facilities
- Commercial Solutions



Part Numbers

IC500 E2

2 Reader Controller for 1 door inc PSU

IC500IP E2

2 Reader Controller for 1 door with IP inc PSU

IC1000 E3

2 Reader Controller for 2 doors inc PSU

IC1000IP E3

2 Reader Controller for 2 doors with IP inc PSU

20/21

Intelligent Door Controllers

IC2001 / IC4001

Overview

The IC2001 and IC4001 controllers suit all medium to high security environments. They offer integrated on-line access control and alarm monitoring. The controllers are scalable from simple single site application right through to complex multi-site installations.

Key Features

- 2 door 4 reader / 4 door 4 reader networkable controller
- 20,000 cardholders standard (upgradable to 110k)
- Optional built in TCP/IP
- Redundant communication bus (optional)
- Plug in expansions available for Inputs and outputs
- Compatible with Sensor SF or 3rd Party readers
- 8 inputs, 4 relay outputs–All supervised
- FLASH upgradable memory
- Full LED diagnostics



Cardholders

IC2001: Up to 110,000
IC4001: Up to 110,000



Events

IC2001: Up to 53,000***
IC4001: Up to 53,000***



Doors

IC2001: 2x Door
IC4001: 4x Door



Readers

IC2001: 2x Readers
IC4001: 2x Readers



Inputs

IC2001: 8x Inputs*
IC4001: 8x Inputs*



On Board TCP IP

IC2001: Option
IC4001: Option



Outputs

IC2001: 4x Outputs**
IC4001: 4x Outputs**



Comms Bus

IC2001: 2
IC4001: 2


* Expandable to 16

** Expandable to 64

*** Expandable dependant on cardholders


IC2001

4 Reader Controller for 2 Doors



IC4001

4 Reader Controller for 4 Doors



Intelligent Door Controllers

IC2001 / IC4001

Product Highlights


High capacities are reached via the high speed on board RAM which allows maximum capacities of 110,000 cardholders and 53,600 events in memory.

Simple installation is achieved with PCB's supplied in specially designed boxes with industry specific power supplies and wiring diagrams.

High Security applications are covered on both the IC2001 and 4001 with an optional secondary communication bus. A Second bus provides maximum protection against communication loss for sites that require high level security and the knowledge that communication is always backed up.

Expandable Inputs and Outputs mean the controller can be flexible to meet a variety of applications to include lift control with up to 64 outputs and 16 inputs (See p.24 for extension boards).

Simple communication via either on board RS-485 or built in TCP/IP interface.



Part Numbers

IC2001 E5

4 Reader Controller for 2 doors inc PSU

IC2001 IP E5

4 Reader Controller for 2 door with IP inc PSU

IC4001 E5

4 Reader Controller for 4 doors inc PSU

IC4001 IP E5

4 Reader Controller for 4 doors with IP inc PSU
Controller for 2 door with IP inc PSU



Typical Applications

- Education facilities
- Health Care and hospital applications
- Commercial and blue chip sites

22/23

Intelligent Network Door Controllers

Extension Boards

Overview

Cost effective solution for expanding inputs and outputs or TCP/IP on IC2001, IC4001, ICPRO and 1604 Controllers

Key Features

- Versatile expanding options for Lift Control, Locker Applications and CCTV Matrix etc
- Plugs straight onto the controller no wiring required
- Extension boards all have status LED's on board
- Cost effective option for adding inputs and outputs without adding additional controllers
- Convert controllers to TCP/IP easily and quickly
- 2 amp rating on all relay outputs
- Full 4 state input monitoring



Part Numbers

EXT-TCP/IP

Plug in TCP/IP board

EXT-TCP/IP-IR

Plug in TCP/IP board with additional I/O

EXT-IRLED

Plug in additional I/O board

RELAY-12

12 relay extension board

SAT-16

Relay board for additional relays

EXT-TCP/IP

Plug in extension board offering TCP/IP interface and RS485 bus to other IC Controllers.



EXT-TCP/IP-IR

Plug in extension board offering TCP/IP interface, RS485 bus, 8 supervised inputs, 4 relays and 4 LED controls for card readers.




EXT-IRLED

Plug in extension board with 8 supervised inputs, 4 relays and 4 LED controls for card readers.



RELAY-12

12 relay plug in extension board.



SAT 16

Satellite relay module with 16 additional relays, 2nd bus required.



Typical Applications

- Converting controller to TCP/IP
- Lift Controller applications (Up to 64 floors per controller)
- Additional monitoring of doors and perimeter systems


Intelligent Door Controllers

IC550 PoE

Overview

The IC550PoE controller is the first of its kind taking its required power directly from the TCP/IP cable with its embedded 12W PoE power supply.

This 1 door controller is designed to meet a range of applications from a simple solutions right through to a high security complex multi site application.



Key Features

- 1 door 2 reader networkable controller
- PoE
- 44,000 cardholders standard—upgradable to 160,000
- Store up to 18,000 events—expandable to 24,000
- Compatible with all IC controllers
- 4 inputs, 2 outputs on board
- Compatible with Sensor Prox SF or 3rd Party readers
- FLASH upgradable memory
- Supply 700m A at 12volts (2x readers and 1 lock)



Technical Tips

Consider our range of low voltage locking
High speed 32 bit micro processor (option)



Typical Applications

- Applications where PoE is favoured
- Buildings where a TCP/IP network is already in place



Part Numbers

IC550 PoE
2 Reader Controller for 1 door

24/25

Intelligent Door Controllers

IC PRO / IC 1604

Key Features

- Up to 266,000 Cardholders and 53,000 events
- Optional secondary communication bus and third available for specific applications such as serial badge reader
- Built in TCP/IP Interface



IC PRO Overview

Designed to excel in extremely demanding security installations requiring very large databases. With superior processing power and speed the controller is designed to meet applications where hundreds of thousands of cardholders and events in memory are required.

Key Features

- Cost effective option for alarm monitoring where there is no doors to control
- Fully intelligent with on board memory
- Second communication bus option
- Up to 24 inputs can be monitored per controller



IC 1604 Overview

The IC1604 offers an optimal solution for real time monitoring of alarm points (PIR's, Gas Detectors, Fire Doors etc) and provides additional outputs for triggering other devices such as lighting, sounders, etc



Part Numbers

ICPRO 2 E5

High capacity 4 reader 2 door controller inc PSU

ICPRO 2 IP E5

High capacity 4 reader 2 door controller with IP inc PSU

ICPRO 4 E5

High capacity 4 reader 4 door controller inc PSU

ICPRO 4 IP E5

High capacity 4 reader 4 door controller with IP inc PSU

IC1604 E1

Input and output controller in PSU



Typical Applications

- Government
- Defence Applications
- Commercial and Blue Chip

Intelligent Door Controllers



Advanced Controller Features

Overview

Redundant communication bus is a unique advanced feature which can be utilised in different ways to maximise the security on your system. It can be utilised in different ways as follows:


Redundant Secondary Communication Bus

Sensor's intelligent controllers offer a great solution for communication redundancy where failure in the primary bus would cause the system to automatically switch to the secondary bus. This would ensure continuous flow of events being reported to GuardPoint Pro Server to give the operator the full status of the site at all times; hence providing a more secure solution. Primary and secondary buses can be in any combinations of RS-485 or TCP/IP as required.



Alarm Priority Communication Bus

Another advanced feature of our controller is alarm priority where events are split. Normal events are sent using the primary bus and important alarm events are sent using the secondary bus. This would ensure fast real time reporting of alarm events regardless of the number of normal transactions taking place in the primary bus. This solution ensures that the system is not compromised by delay reporting of alarm events.



Global Anti-Pass back and network reflexes without Server

High Security functions such as global anti pass back and relay triggers can still be performed via the secondary bus. If the GuardPoint Pro server is disabled or disconnected the system will be still fully operational offering maximum security and functionality at all times.

Reading Technologies

SF Smart Card Readers

Overview

The SensorProx SF range of readers are stylish yet practical and easy to install. All readers are epoxy filled and weather proof and therefore suitable for internal or external applications. The SF format is based on smart read/write technology with sector encryption to offer the user a flexible, secure solution that can be used for multiple applications such as; cashless vending, biometrics, pc log-on etc. With the various options in formats and designs it makes the SensorProx SF range the preferred choice for many users. Sensor Access offers the customers fast delivery for the SF format cards and tags with a guarantee for no duplication.



SF-MINI

Mini smart card reader



SF-SG

Single gang smart Card reader



SF-KPV

Control keypad and Smart card reader



SF-DSK RD

Desktop enrolment reader

Key Features

- Secure encrypted format cards and readers
- Mifare compatible—making cards suitable for other applications
- Metal back plate for easy installation
- Non drop bottom screw
- Backlit reader and keypad
- Touch sensitive keypad with LED feedback
- Fully potted IP65 rated suitable for internal and external applications
- Red, green and blue LED feedback



Technical Tips

The SF readers have a configurable output allowing them to read the Full CSN of Mifare Classic, Plus and Desfire cards.

These readers can also be purchased to read the SensorProx and HID prox format cards.



Part Numbers

SF-MINI

Sensor Prox SF mini smart card reader

SF-SG

Sensor Prox SF single gang smart card reader

SF-KPV

Sensor Prox SF single gang prox and pin reader

SF-DSK-RD

Sensor Prox SF format desktop reader


Reading Technologies

Long Range Reading Options

Overview

With a selection of long range reading solutions Sensor Access has a reading option to meet your requirements.

- 2m hands-free entry solution—ideal for applications where disabled access is required or for parts of a building where staff may be carrying items making it difficult to present a card
- 4m with up to 10m with an active tag—ideal for car parking applications
- Up to 30m using a radio receiver—ideal where hands free long range is cost prohibitive
- UHF technology using passive tags with up to 4m read range



Typical Applications

- Car Parking
- Handsfree Solutions


* Please contact our sales team for full information

Wireless Readers

Overview

An innovative new option that offers great flexibility using wireless technology. It is no longer necessary to physically wire the locking mechanism, reader, exit buttons and break glass units to the access control panel. The whole solution can be achieved with the installation of a wireless cylinder replacing the standard Euro cylinder.

The access token would be read by the cylinder reader which in turn would release the lock and send the data wirelessly back to a controller via a hub.



Key Features

- Simple, easy, clean installation
- Ideal for retrofit situations
- Wireless handle also available

Reading Technologies

Biometric Bio Sensor Fingerprint Readers

Overview

The Bio Plus is an IP based fingerprint access control device. The unit is integrated with both fingerprint and one of two types of internal proximity card reader (Mifare / SensorProx type)



Key Features

- Award winning fingerprint algorithm
- IP65 Weather proof and IK08 Vandal Resistant option
- 1:2000 identification in 1 second
- Up to 5,000 Users
- Ethernet interface for TCP/IP communication
- Wiegand output configurable to 64 bits
- Built in RF reader
- Slim design for installation on to a door frame
- Multi-colour LED and interface tone buzzer



Part Numbers

S-BIO-SP

Finger print reader with internal SensorProx reader

S-BIO-MF

Finger print reader with internal SensorProx Mifare reader

S-BIO-MF-W

External use finger print reader with internal SensorProx Mifare reader

S-BIO-USB

Desktop enrolment fingerprint reader



Technical Tips

SP Reader is formatted to work with SP Range of Sensor readers

MF Reader is formatted to work with SF Range of Sensor readers

BIO-USB is designed for easy enrolment and practicality on site

30/31

Case Studies

Healthcare



Gwent Hospital

After a vigorous selection process a GuardPoint Pro system was installed over 5 sites of the Gwent Healthcare trust. With many integrations including CCTV, fire, intrusion and live linking with the existing HR database.

Smart cards have been issued on the site and are being utilised for not only the access control but also cashless vending, PC-log on as well as storing biometric data.

Using IC2000 & IC4000 Controllers the final switch over phase from the old system saw over 400 readers go live. The system offers a future proof solution for the trust. This site is still expanding by adding new locations and continues to grow successfully.



Healthcare Centre Dubai

With our wealth of experience and proven extensive product range Sensor Access was approached regarding a requirement for access control for a new healthcare center in Dubai. Sensor Access were selected at the end of the tendering process to be the product to control this busy and demanding site. GuardPoint pro along with a range of IC2000 & IC4000 controllers were installed to create a system controlling over 30 doors.

Badge production module has been used to print all staff ID's on site as well as Sensor's bio readers for the highest security areas in the centre.



Circle Health

Circle is co-founded, co-run and co-owned by clinicians. Because the consultants and healthcare professionals who work for Circle own the facilities they work in, they are empowered to put patients first in everything that they do. The main 40 doors of the system are controlled by a GuardPoint Pro system and intelligent door controllers ensuring patient and staff safety.

For the internal doors which it was important to control, 27 wireless cylinder locks were installed. These are all managed from GuardPoint Pro and offer the client a more cost efficient option where lower security functions were required.

Case Studies

Education

St Mary Magdalene Academy

When the school gained academy status and a new building was constructed in 2007 upgrading the security system to meet the demands of a modern school became part of the project. A 60 door GuardPoint pro system was installed with a range of Sensor Access's intelligent IC controllers and Mifare proximity readers. With over 1,200 pupils it was important for the academy to minimise administration of the system. Guardpoint Pro was installed running an SQL server and was linked with the schools current HR database to populate GuardPoint Pro automatically.



Barnsley College

Barnsley college campus is a leading educational establishment in South Yorkshire. In order to safeguard the contents of the building and increase the security Barnsley College decided to implement an access control solution.

GuardPoint Pro System was installed using IC2000 & IC4000 controllers as well as Sensor Access's Mifare readers. Barnsley college now have a system that automatically populates the student data from a central system into GuardPoint Pro Software saving time and money.



Oxford School

A Guardpoint Pro system was specifically designed to meet the complex requirements of this large school. The school campus includes Oxford School International, Oxford Preparatory School, Oxford Pre-Prep School and Oxford Nursery. With over 350 readers and 40 biometric Finger Print Readers on site, the system has expanded as requirements have grown. Oxford school now operates a fully integrated security system offering peace of mind to parents and students. The system has proved future proof to date and will continue to grow and meet their expectations.



Case Studies

Sport & Leisure



Singapore Sports Hub

A new prestigious 55 000 capacity national stadium with a retractable roof and comfort cooling for spectators will be the largest free spanning structure in the world. As such an important site, security was at the forefront of requirements from a panel of consultants. With a tough specification Sensor Access were able to comply with a system made up of over 400 IC500IP controllers running on PoE, Biometric readers, 400 Sensor format prox and pin readers.


GuardPoint Pro runs full redundancy with web interface, SQL database, OPC server, GuardTour, CCTV integration, badge production, multiple workstations and over 20 alarm controller boards monitoring additional doors and points within the building.



Saadiyat Island Resort Abu Dhabi

With its 9km arc of pristine white sand Saadiyat beach is a much sought after location for leisure seekers and high end real estate. With this new luxury resort it was important to consider security. A 45 door system was installed over the complex to limit access to each block and apartment. A GuardPoint Pro system was installed together with a number of IC500 controllers and Mifare readers.

The IC500 was ideal for this application as controllers were installed locally at each block. The IP version was used on many of the sites keeping the installation simple and cost effective. Mifare cards and readers were used to allow the site to maximise potential of smart cards for other applications.



National Theatre Bahrain

The national theatre of Bahrain includes a main 750 seat auditorium designed for; drama, small symphony's, conferences and Jazz.

With such an iconic national building it was important to ensure that security was covered. A GuardPoint Pro system securing the main doors within the building was installed. Using the alarm control package has allowed for full visual control and monitoring of the system, which has worked great for this busy and dynamic site.

Case Studies

Corporate

Prime Towers Dubai

This project is located in a prime location at the heart of business bay, Dubai. A prestigious project utilising many integrations within GuardPoint Pro including CCTV Integration and OPC server interface for automatic database population from existing HR Database.

This site is also using badge production and the alarm control module to provide a simple and user friendly powerful front end in one software.

Sensor Access secured S-Class smart readers are used throughout the building and long range version for the car park providing a complete future proof solution.



Sovereign House

This system was installed over the clients existing TCP-IP network which minimised installation costs. This also meant minimal decorative disruption for the building. A 50 door GuardPoint Pro system was installed on site using the stylish SF range pin & prox readers as well as long range reader for the carpark. The carpark is also being managed by GuardPoint Pro parking module which allows for counting in and out and limiting entrants to the number of spaces available. Sovereign House also utilises the visitor module and badge production within GPP, as well as the lift control module for controlling the lifts in the building. The site uses many actions and processes within GuardPoint Pro which automates many functions including automatically printing a roll call report.



NATPET

Established in 1990, NATPET is one of Saudi Arabia's leading petrochemical manufacturers producing over 800,000 tons of Propylene and Polypropylene per year. A widespread and exposed site with over 4km of perimeter to protect. The security risks to this site are very high and a combination of technologies were required to secure it. Utilising Sensor's IC1604 input/output boards a system was developed to monitor alarm inputs. The GPP was used as an integration platform with the Pelco CCTV system. Commands were sent from GuardPoint Pro to either trigger a live camera or take a dome to a preset. By deploying a 2nd communication bus on all controllers this provided a communication redundancy option ensuring the highest level of security.



Product List

Software



GPP-LITE	GuardPoint Pro Lite access control software. Real time reporting for systems up to 2,000 users, 8 controllers and 16 readers. Features Alarm Graphics, Badge Printing and simple reporting
GPP/16	GuardPoint Pro access control software for up to 16 readers and 2,000 users
GPP/16-ACM	GuardPoint Pro access control software 16 readers and 5,000 users. Complete with Alarm control and Graphics module included (ACM-GPP)
GPP/64	GuardPoint Pro access control software for up to 64 readers and 5,000 users.
GPP/128	GuardPoint Pro access control software for up to 128 readers and 10,000 users.
GPP/256	GuardPoint Pro access control software for up to 256 readers and 40,000 users.
GPP/512	GuardPoint Pro access control software for up to 512 readers and 65,000 users.

For software requirements beyond 40,000 cardholders and/or 512 readers, please contact [Sensor Access](#)

GPP-BDG	ID card design and production - Produce and print ID cards from within GuardPoint Pro
GPP-WS	Additional Workstation Licence - Manage GuardPoint Pro from multiple PC's.
GPP-ACM	Alarm Control and Graphics - Import graphical maps and manage interactive system alarms.
GPP-PCM	Parking Control - Manage car park spaces according to user and company privilege.
GPP-LCM	Lift Control - Manage access to floors within the building
GPP-GT	Guard Tour - Monitors security guard patrol activity.
GPP-MC	Multi Company Database - Use one GuardPoint Pro software for each company to manage their own system. Single database
GPP-CCTV	CCTV integration module for DVRs - contact Sensor for product compatibility
GPP-VIDEO+	Advanced video Integration Module - Compatible with Milestone, Works with SQL
GPP-OPC	OPC Server Interface
GPP-SQL	SQL Database for GuardPoint Pro
GPP-T+	Time & Attendance module
GPP-MS	Multi-Site Module - Enable independent administration of multiple sites
GPP-G+	Enhanced graphical module - Create layered mapping for single screen administration
GPP-GXY	Galaxy Intruder Alarm Panel Integration Module
GPP-WEB	Web Workstation Module, 3 Users

Product List

Controllers



IC500 E2

1 Door / 2 Reader Controller, 4 inputs, 3 outputs, 5,000 cardholders (expandable to 8,700) Housed within a metal cabinet with 2A 12VDC Power Supply

IC500 IP E2

As Above with embedded IP

IC1000 E3

2 Door / 2 Reader Controller, 4 inputs, 3 outputs, 5,000 cardholders expandable to 8,700) Housed within a metal cabinet with 3A 12VDC Power Supply

IC1000 IP E3

As Above with embedded IP



IC2001 E5

2 Door / 4 Reader Controller, 8 inputs (expandable to 16) 4 relay outputs (expandable to 64) 20,000 cardholders (expandable to 32,000) Housed within a 5A 12VDC Power Supply

IC2001 IP E5

As above with embedded IP

IC4001 E5

4 Door / 4 Reader Controller, 8 inputs (expandable to 16) 4 relay outputs (expandable to 64) 20,000 cardholders (expandable to 32,000) Housed within a 5A 12VDC Power Supply

IC4001 IP E5

As above with embedded IP



ICPRO 2 E5

2 Door / 4 Reader Controller, 32 Bit CPU, 4MB RAM, 10 inputs (expandable to 18) 4 relay outputs (expandable to 64) 64,000 cardholders (expandable to 256,000) Housed within a 5A 12VDC Power Supply

ICPRO 2 IP E5

As above with embedded IP

ICPRO 4 E5


4 Door / 4 Reader Controller, 32 Bit CPU, 4MB RAM, 10 inputs (expandable to 18) 4 relay outputs (expandable to 64) 64,000 cardholders as (expandable to 256,000) Housed within a 5A 12VDC Power Supply

ICPRO 4 IP E5

As above with embedded IP

IC1604 E1

Alarm Controller with processor flash memory, 16 inputs (expandable to 24) 4 relay outputs (expandable to 56) Housed within a metal cabinet with 2A 12VDC Power Supply



1. EXT IRLED

Plug In Extension board with 8 supervised inputs, 4 relays and 4 LED controls for card readers (Compatible with IC2000, IC4000 ICPRO2, ICPRO4 & IC1604)

2. EXT-TCP/IP

Plug In Extension board offering TCP/IP interface and RS485 bus to other IC's (Compatible with IC2000, IC4000 ICPRO2, ICPRO4 & IC1604)

3. EXT-TCP/IP-IR

Extension board offering TCP/IP interface, RS485 bus, 8 supervised inputs, 4 relays and 4 LED controls for card readers (Compatible with IC2000, IC4000 ICPRO2, ICPRO4 & IC1604)

4. RLY-12

12 relay plug in extension board (Compatible with IC2000, IC4000 ICPRO2, ICPRO4 & IC1604)

5. SAT-16

Satellite Relay Module with 16 additional relays. Three can be connected to each IC controller. (Compatible with IC2000, IC4000 ICPRO2, ICPRO4 & IC1604)



1. USB/485-SEN

USB to RS485 communication interface



2. RCB

Communication bus kit for adding a 2nd bus to IC controllers. NOT COMPATIBLE WITH IC1000 RANGE

Product List

Readers & Cards



1. SF-MINI

SensorProx SF Format Mini Smart Card Reader. Tri colour back lit reader.

2. SF-SG

SensorProx SF Format Single Gang Smart Card Reader. Tri colour back lit reader.

3. SF-KPV

SensorProx SF Format Keypad Smart Card Reader, Tri colour back lit keypad. Touch sensitive.



SF-ISO

SensorProx SF Format ISO Cards. 1K Smart Card Technology.

SF-KEY-G/Y

SensorProx SF Format Keyfob. 1K Smart Card Technology, grey or yellow.



SF-DSK-RD

SensorProx SF Format Desktop reader connected to PC via USB



SF-MF-CONFIG-CARD

Programming card to change any SensorProx SF reader from SF Format to SensorProx Mifare. Can be used multiple times. Please see SF readers above



SP-MF-1K

SensorProx Mifare smart card. ISO Read/Write card 1K Bytes.



MF-DSK-RD

SensorProx MIFARE Format Desktop reader connected to PC via USB



1. SP-MINI2

SensorProx Format Mini Proximity Reader. Tri colour back lit reader.

2. SP-SG2

SensorProx Format Single Gang Proximity Reader. Tri colour back lit reader.

3. SP-KPV2

SensorProx Format Keypad Proximity Reader, Tri colour back lit keypad. Touch sensitive.



SP-SHELL

SensorProx Standard Proximity Shell Cards.

SP-ISO

SensorProx ISO Printable Proximity Cards.

SP-KEY-R/G/B

SensorProx Proximity Keytag with hole for key chain, red, green or blue



SP-DSK-RD

SensorProx format Desktop reader connected to PC via USB



S-BIO-SP

Bio Plus fingerprint reader with internal SensorProx card reader. Compatible with SensorProx readers/cards.

S-BIO-MF

Bio Plus fingerprint reader with internal Mifare card reader. Compatible with SensorProx SF readers/cards & Mifare readers/cards.



S-BIO-MF-W

Bio Plus fingerprint reader with internal Mifare card reader. Compatible with SensorProx SF readers/cards & Mifare readers/cards. WEATHERPROOF



S-BIO-USB

Bio USB Desktop enrolment reader

Product List

Door Hardware



1. **SPECIAL**

Integrated lock & reader. Double Cylinder

2. **SPECIAL**

Integrated lock & reader. Handle Set



1. **EB-1**

Surface mount plastic exit button

2. **EB-2**

Surface mount, vandal resistant, stainless steel exit button

3. **EB-3**

Surface mount, narrow style, plastic exit button

4. **EB-4**

Surface mount, narrow style, vandal resistant, stainless steel exit button

5. **EB-5**

Surface mount, stainless steel, large green dome exit button.



1. **BGU-DP**

Break Glass Unit, Double Pole, Green

2. **BGU-R-DP**

Break Glass Unit, Resettable, Double Pole, Green



1. **ML0022**

12/24V DC Slimline magnet, Up to 300kg holding force, Monitored

2. **ML0062**

12/24V DC Slimline double magnet, Up to 300kg holding force, monitored

3. **LH0002**

Z & L Brackets for slimline maglock (All inward opening doors require Z & L brackets)



1. **ML0080**

12/24V DC Standard magnet, Up to 500kg holding force, Monitored

2. **ML0074**

12/24V DC Standard double magnet, up to 500kg holding force, monitored

3. **HM0030**

Z & L Bracket for standard maglock



1. **SHL1200**

12/24V DC GS705 Shear Magnet, 30mm wide, Up to 1500kg Holding Force, monitored

2. **DX-200**

Fail safe, entry-level solenoid bolt, 12/24V DC, IP 53 rated



1. **GAER**

Standard Fail Secure Release Kit, 12V AC/DC, Adjustable Jaw

2. **ARU**

Heavy duty ANSI Reversible Release, two faceplates, 12V DC

Warranty

With a 2 year warranty offered on our extensive product range you can rest assured with peace of mind of the quality of our products.

Stock

We stock a full range of products many available for next day delivery at our facilities in the UK.

Customer Support

Sensor Access has a core strength of being a specialist in access control. This means we can spend the time and effort required to offer our clients the most complete and up to date range of integrated access control solutions. The Sensor Access team is built from specialist engineers and management that have many years industry experience and bring with them vast experience and knowledge at both a domestic and international level.

Sensor Access has the ability and experience to work closely with its partners in the design, implementation and after sales support of projects across the globe. The sectors and projects that Sensor continue to be involved in include: Airports, Local Councils, Defence, Ports, Education facilities, Hospitals, Office facilities, Banks, Industrial and Blue chip installations.

Contact Details

Sensor Access Technology Ltd

Sensor House, 10-11 Lewes Road
Brighton, East Sussex, BN2 3HP
United Kingdom

Tel. +44 (0)1273 242 355

Fax. +44 (0)1273 235 030

Email. sales@sensoraccess.co.uk

Web. www.sensoraccess.co.uk

 Sensor Access Technology

 @sensoraccess

 Sensor Access Technology

